



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

1/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name 26GT® FUNGICIDE

Product code (UVP) 06083632

SDS Number 102000016226

EPA Registration No. 432-888

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
USA

Emergency Telephone
Number (24hr/ 7 days) 1-800-334-7577

Product Information
Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard : Category 1



Signal word: Danger

Hazard statements

May be fatal if swallowed and enters airways.

Precautionary statements

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

2/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Iprodione	36734-19-7	23.30
1,2-Propanediol	57-55-6	4.90
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	1.70
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	32.30

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Risks Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

3/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Carbon dioxide (CO₂), Dry chemical, Foam, Water spray

Unsuitable None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 93.3 °C

Autoignition temperature no data available

Lower explosion limit 2.6 %(V)

Upper explosion limit 12 %(V)

Explosivity no data available

Dust explosion class Not applicable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

4/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Iprodione	36734-19-7	2 mg/m ³ (TWA)		OES BCS*
Iprodione	36734-19-7	5ug/m ³ (AN ESL)	07 2011	TX ESL
Iprodione	36734-19-7	50ug/m ³ (ST ESL)	07 2011	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	1000ug/m ³ (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	50ppb (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	500ppb (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	100ug/m ³ (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m ³ (TWA)	2010	WEEL
Distillates (petroleum), solvent-refined light paraffinic (Mist.)	64741-89-5	5 mg/m ³ (TWA)	01 2006	ACGIH
Distillates (petroleum), solvent-refined light paraffinic (Mist.)	64741-89-5	10 mg/m ³ (STEL)	01 2006	ACGIH



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

5/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

Distillates (petroleum), solvent-refined light paraffinic (Inhalable fraction.)	64741-89-5	0.2 mg/m3 (TWA)	01 2006	ACGIH NIC
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	50ug/m3 (ST ESL)	10 2003	TX ESL
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	5ug/m3 (AN ESL)	10 2003	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Chemical resistant goggles must be worn.

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light beige
Physical State	suspension
Odor	aromatic
Odour Threshold	no data available
pH	6.0 - 6.5 at 100 %
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	ca. 1.03 g/cm ³ at 20 °C
Evaporation rate	not applicable
Boiling Point	no data available
Melting / Freezing Point	no data available



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

6/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

Water solubility	dispersible
Minimum Ignition Energy	no data available
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	1,000 - 1,500 cps
Flash point	> 93.3 °C
Autoignition temperature	no data available
Lower explosion limit	2.6 %(V)
Upper explosion limit	12 %(V)
Explosivity	no data available
Dust explosion class	Not applicable.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Elevated temperatures Heat, flames and sparks.
Incompatible materials	Strong acids, Strong bases, Strong oxidizing agents
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin Absorption, Inhalation, Ingestion
Immediate Effects	
Skin	Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Information on toxicological effects	
Acute oral toxicity	LD50 (male rat) > 5,000 mg/kg



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

7/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

	LD50 (female rat) 4,619 mg/kg
Acute inhalation toxicity	LC50 (male/female combined rat) > 0.8 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths
	LC50 (male/female combined rat) > 3.2 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (male/female combined rat) > 2,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	Minimally irritating. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Iprodione caused specific target organ toxicity in experimental animal studies in rats in the following organ(s): adrenal gland.

Assessment Mutagenicity

Iprodione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Iprodione caused at high dose levels an increased incidence of tumours in the following organ(s): liver, testes. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

None.

NTP

Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
---	------------

IARC

Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	Overall evaluation: 1
---	------------	-----------------------

OSHA

None.

Assessment toxicity to reproduction

Iprodione did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Iprodione caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Iprodione are related to maternal toxicity.



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

8/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 4.1 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient iprodione.
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) 0.25 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient iprodione.
Toxicity to aquatic plants	IC50 (<i>Scenedesmus subspicatus</i>) 15.3 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient iprodione.
Biodegradability	Iprodione: ; not rapidly biodegradable
Koc	Iprodione: Koc: 202 - 543
Bioaccumulation	Iprodione: Bioconcentration factor (BCF) 70; Does not bioaccumulate.
Mobility in soil	Iprodione: Moderately mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Do not contaminate water, food, or feed by disposal. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. Dispose in accordance with all local, state/provincial and federal regulations. Follow advice on product label and/or leaflet.
Contaminated packaging	Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. Follow advice on product label and/or leaflet.



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

9/11
Revision Date: 04/11/2014
Print Date: 10/14/2019

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

Not dangerous goods / not hazardous material

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IPRODIONE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-888

US Federal Regulations

TSCA list

1,2-Propanediol	57-55-6
Naphthalene and alkyl naphthalene	68425-94-5
sulphonic acids formaldehyde condensate, sodium salt	
Distillates (petroleum), solvent-refined	64741-89-5
light paraffinic	

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
None.

SARA Title III - Section 302 - Notification and Information

None.



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

10/11

Revision Date: 04/11/2014
Print Date: 10/14/2019

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Iprodione 36734-19-7

US State Right-To-Know Ingredients

1,2-Propanediol	57-55-6	MN
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	CA, MA

Canadian Regulations

Canadian Domestic Substance List

Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Iprodione	36734-19-7
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Avoid contact with skin, eyes and clothing.
Avoid breathing spray mist.

SECTION 16: OTHER INFORMATION

Bayer Environmental Science

SAFETY DATA SHEET



26GT® FUNGICIDE

Version 4.0 / USA
102000016226

11/11

Revision Date: 04/11/2014
Print Date: 10/14/2019

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 04/11/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.