



**TM 4.5F SELECT™ CONTAINS THIOPHANATE METHYL, THE ACTIVE INGREDIENT  
USED IN CLEARY'S 3336® F**

# TM 4.5F SELECT™

FUNGICIDE

## ***Broad Spectrum Systemic Control***



### **ACTIVE INGREDIENT**

Thiophanate Methyl

### **% ACTIVE INGREDIENT**

46.2%

### **FORMULATION**

Flowable

### **CHEMICAL FAMILY**

Thiophanates

### **BRAND ALTERNATIVE**

3336® F

Topsin® 4.5FL

### **MODE OF ACTION**

Systemic (mitosis and cell division)

### **RESTRICTED USE**

None

### **SIGNAL WORD**

Caution

### **PACKAGING INFORMATION**

2 x 2.5 gal.

**TM 4.5F Select™** is a broad spectrum, systemic fungicide for control of turf and ornamental diseases.

TM 4.5F Select can be used to prevent and control fungus on both cool and warm season grasses. With no known phytotoxicity issues, it is the perfect disease management tool to help keep your golf course in peak condition. TM 4.5F Select can also be used on a wide variety of edible crops. For optimal effect in areas that utilize irrigation, add a sticker / spreader adjuvant such as Fungicide Activator Select™ to the tank mix.

- Excellent residual control
- No known phytotoxicity to turfgrass
- Both preventive and curative properties
- Use on both cool and warm season turfgrasses
- Effective against a wide range of turf and ornamental diseases
- Use Fungicide Activator Select to maximize efficacy
- Can be used through certain irrigation systems

**IMPORTANT:**  
ALWAYS READ AND FOLLOW  
LABEL INSTRUCTIONS.



**PRIME SOURCE**

# TM 4.5F SELECT™

FUNGICIDE

## Application Information:

### Horticultural Applications

TM 4.5F Select™ provides broad-spectrum control of many foliar, stem, and below-ground diseases on a wide range of horticultural plants grown or maintained under a variety of conditions. Apply TM 4.5F Select 14 to 21 days prior to when a particular disease usually appears and at the very latest, upon first sign of disease. Use 7- to 14-day spray intervals with 14 days being for preventive treatments and the 7-day interval for times when conditions are conducive to disease development. Add an acceptable wetting agent to the spray tank to increase product efficacy for hard-to-wet foliage. Use a spreader / sticker when excessive and repeated foliar wetting occurs.



### Turf Applications

Use TM 4.5F Select against certain foliar and soil diseases for use on all turf types such as golf course greens, tees and fairways, athletic fields, cemeteries, parks, and commercial and home lawns. Use TM 4.5F Select both preventively and curatively; it is not phytotoxic on turfgrass. Do not use TM 4.5F Select on turf being grown for sale or other commercial uses such as sod. For use only by certified applicators and those under their direct supervision. Do not apply with fixed wing or rotary aircraft. Use TM 4.5F Select on all cool and warm season grasses (such as but not limited to Bentgrasses, Bermudagrasses, Bluegrasses, Fescues, Ryegrasses, St. Augustinegrasses and Zoysiagrasses) or their mixtures.

### Mixing Instructions

Add the required amount of TM 4.5F Select to a partially filled tank agitated by mechanical or hydraulic means. Add the remaining required amount of water. Maintain continuous agitation to keep the material in suspension. For best results, use spray mixture the same day it is prepared.

## DISEASES CONTROLLED

Anthracnose  
Dollar Spot  
Copper Spot  
Brown Patch  
Zoysia Patch  
Red Thread  
Pink Snow Mold  
Gray Leaf Spot  
Summer Patch  
Fusarium Blight  
Necrotic Ring Spot  
Spring Dead Spot  
Strip Smut

## LABELED USES

Numerous Crops  
Conifers\*  
Greenhouse  
Nursery  
Golf Course  
Athletic Fields  
Cemeteries  
Parks  
Commercial Lawns  
Residential Lawns  
Landscape Ornamentals

*\*not for use on Conifers in California*