

Sunniland Professional Turf Fertilizer with Insect Control 15-0-15

This is a Double Action product with Lawn Food and Bifenthrin Insecticide Feeds the Lawn and controls common lawn Insects such as: Ants (*including Imported Fire Ants*), Mole Crickets, Sod Web worms, Chinch Bugs and other Pests as listed. For Lawns, in Landscape areas, around Residential, Commercial, institutional, Public, and Industrial Buildings, Parks, Recreational Lawns, and Athletic Fields.

ACTIVE INGREDIENT:		
Bifenthrin* [CAS 83322-B2657]	0.069%
OTHER INGREDIENTS:	99.931%
	TOTAL	100.00%

*Cis isomers 97% minimum: trans. isomers 3% maximum.

KEEP OUT OF REACH OF CHILDREN CAUTION

GUARANTEED ANALYSIS	F99 Item# 085772
Total Nitrogen (N)*.....	15.00%
7.50% Ammoniacal Nitrogen	
7.50% Water Soluble Nitrogen	
Soluble Potash (K ₂ O).....	15.00%
Total Magnesium as Mg	1.00%
1.00% Water Soluble Magnesium as Mg	
Chlorine, (Cl) Not more than.....	7.50%
Total Iron as Fe	2.00%
Total Manganese as Mn	0.50%

Derived From: Sulphur Coated Urea, Sulfate of Ammonia, Muriate of Potash
Sulphate of Potash, Sulphate of Potash Magnesia, Iron Oxide, Manganese Oxide.

*Contains 3.75 Units of Slow Release Nitrogen.

FIRST AID	
Have the product container of label with you when calling a poison control center or doctor, or going for treatment . You may also contact the Poison Control Center 800-222-1222.	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

**This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow children and pets to enter the area until dry.

Do not apply more than 580 lbs. per acre (13.3 lbs. per 1,000 square feet), of this product per year. Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

Treat when insects first appear. Apply this product evenly over the turf grass area at a rate of 3.33 to 6.66 pounds per 1,000 square feet, using a properly calibrated drop or rotary spreader. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half of swaths at a right angle to the first. Best results will occur if the treated area is thoroughly irrigated with water immediately after application.

**Restrictions concerning use near waters.

Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, natural estuaries, and commercial fish ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in its original container in a dry, cool, dry, locked place out of the reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

COMMERCIAL CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

HOMEOWNER CONTAINER DISPOSAL: IF EMPTY: Fold bag and discard in trash. IF PARTLY FILLED: Use and directed or call your local waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any drain.

LAWN APPLICATION

Apply 3.33 lbs. per 1,000 sq.ft.	Apply 6.66 lbs. per 1,000 sq.ft.
Annual Bluegrass	**Ants
Weevils (Hypnerodes Adult)	**Centipedes
Armyworms	**Fire Ants
Billbugs (Adult)	**Fleas
Black Turfgrass	**Leafhoppers
Ataenuis (Adult)	**Millipedes
Cutworms	**Mole Crickets
Mealybugs	**Chinch Bugs
Sod Webworms	Ticks and Chiggers

*Imported Fire Ants control will be optimized by combining broadcast application that will control foraging workers and newly mated (fly-in) queens with mound treatments that will minimize existing colonies. **The highest rate may be required for control of Ants, Centipedes, Chiggers, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes and Mole Crickets.

In New York State, this product may not be applied to any grass or turf grass within 100 ft of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State do make a single repeat application if there are signs of renewed insect activity but not sooner than 2 weeks after the first application.